

Listing of Claims

This listing of claims will replace all prior versions and listings of claims in the application:

I claim:

1.–13. (Cancelled)

14. (Currently Amended) An e-mail system for exchanging messages among users of the system, the system comprising:

- a sender subsystem for transmitting a message from a sender to a receiver, the sender subsystem having access to a listing of categories;
- a receiver subsystem for receiving the message, the receiver subsystem being in data communication with the sender subsystem;

wherein the receiver subsystem is configured to permit the sender subsystem to propose new categories for adding to a listing of receiver categories, and

wherein the sender subsystem is configured to identify a category for the message based on the listing of categories, to initiate a **categorization** negotiation process with the receiver subsystem, ~~to associate~~ **that includes at least the steps of communicating the category with the message upon to the receiver subsystem,** receiving an indication from the receiver subsystem ~~that~~ **whether** the category is recognized by the receiver subsystem **and adopting the category as a negotiated category if the category is acceptable or, if the category is not acceptable, negotiating with the receiver subsystem by proposing an alternative category to the receiver subsystem and adopting the alternative category as the negotiated category if the alternative category is acceptable to the receiver subsystem, to associate the negotiated category with the message** and to transmit the categorized message to the receiver subsystem.

15. (Currently Amended) The system of claim 14, wherein the ~~recognized~~ **negotiated** category is identical to a receiver category.

16. (Currently Amended) The system of claim 14, wherein the **recognized negotiated** category is mapped from a receiver category.
17. (Currently Amended) The system of claim 14, wherein the **recognized negotiated** category is a new category added to **[[a]] the** listing of receiver categories.
18. (Currently Amended) The system of claim 14, further comprising a storage module, the storage module storing a copy of the categorized message according to the **negotiated** category associated with the categorized message.
19. (Previously presented) The system of claim 18, wherein the storage module indexes the copy of the categorized message according to the associated category.
20. (Previously presented) The system of claim 14, further comprising an intermediary subsystem, wherein the listing of categories is provided to the sender subsystem through the intermediary subsystem.
21. (Previously presented) The system of claim 20, wherein the listing of categories is a union of a first listing provided by the intermediary subsystem and a second listing provided by the sender subsystem.
22. (Previously presented) The system of claim 20, further comprising a sender intermediary subsystem, the sender intermediary subsystem communicating with said intermediary subsystem to negotiate the category.
23. (Previously presented) The system of claim 14, wherein said sender subsystem further includes a user interface for presenting the listing of categories to the sender to select the category therefrom.
24. (Currently Amended) A system for classifying messages transmitted by a message exchange system, the message exchange system including a sending subsystem for transmitting a message from a sender to a receiver and a receiving subsystem for receiving the message, the system comprising:
 - a negotiation module, the negotiation module maintaining a listing of categories;
 - said negotiation module including a sender subsystem for initiating negotiation of a category and a receiver subsystem for providing the sender subsystem

with an indication ~~that~~ whether the category is acceptable to the receiver system,

wherein the receiver subsystem is configured to permit the sender subsystem to propose new categories for adding to a listing of receiver categories, and

wherein the sender subsystem is configured to identify the category for the message based on the listing of categories, to initiate a categorization negotiation process with the receiver subsystem, ~~and to associate the category with the message to obtain a categorized message upon receiving an indication~~ that includes at least the steps of communicating the category to the receiver subsystem, receiving a response from the receiver subsystem ~~that whether~~ the category is recognized by the receiver subsystem and adopting the category as a negotiated category if the category is acceptable or, if the category is not acceptable, negotiating with the receiver subsystem by proposing an alternative category to the receiver subsystem and adopting the alternative category as the negotiated category if the alternative category is acceptable to the receiver system, and to associate the negotiated category with the message to obtain a categorized message.

25. (Previously presented) The system of claim 24, wherein said sender subsystem has access to a listing of sender categories and is operative to deduce the category from the listing of categories maintained by the negotiation module and the listing of sender categories.

26. (Previously Presented) The system of claim 25, wherein the category is a common category belonging to the listing of sender categories and the listing of categories maintained by the negotiation module.

27. (Previously Presented) The system of claim 25, wherein the category belongs to one of the two listings and is mapped to a second category belonging to the other of the two listings.

28. (Previously Presented) The system of claim 25, wherein the category belongs to one of the two listings and is a new category added to the other of the two listings.

29. (Currently Amended) The system of claim 24, wherein the message exchange system further includes a plurality of receiving subsystems for receiving the message for a plurality of receivers, said negotiation module further including a plurality of receiver subsystems, each of said plurality of receiver subsystems being operative to provide said sender subsystem with an indication ~~that~~ whether the category is recognized by each receiver subsystem.

30. (Previously Presented) The system of claim 29, wherein said negotiation module is configured to establish a common category for a subset of said plurality of receivers and to associate said common category with the message for said subset of receivers.

31. (Previously presented) The system of claim 24, wherein said negotiation includes the use of one or more intermediary subsystems, said one or more intermediary subsystems having access to at least a separate listing of additional categories, and wherein the category is identified from a union of said separate listing of additional categories and the listing of categories.

32. (Previously presented) The system of claim 31, wherein at least one of said one or more intermediary subsystems is selected by said receiver subsystem.

33. (Previously presented) The system of claim 31, said receiver subsystem further comprising a search module for searching for and selecting said one or more intermediary subsystems.

34. (Previously presented) The system of claim 31, wherein at least one of said one or more intermediary subsystems is selected by said sender subsystem.

35. (Previously Presented) The system of claim 24, further comprising a user interface for presenting to a sender the listing of categories for the sender to select the category therefrom.

36. (Previously Presented) The system of claim 35, said negotiation module is configurable through the user interface to either negotiate the category free of interactive input from the sender or to receive an indication of the category from the sender through the user interface.

37. (Currently Amended) A method of managing messages transmitted by a message exchange system, the message exchange system including a sender subsystem for transmitting a message from a sender to a receiver and a receiver subsystem for receiving the message, comprising the steps of:

obtaining a listing of categories;

providing the listing of categories to the sender subsystem;

the sender subsystem identifying a category for the message using the listing of categories;

the sender subsystem communicating the category to the receiver subsystem;

the receiver subsystem providing an indication ~~that~~ whether the receiver subsystem recognizes the category;

the sender subsystem either adopting the category as a negotiated category if the category is acceptable or, if the category is not acceptable, negotiating with the receiver subsystem by proposing an alternative category for the message to the receiver subsystem and adopting the alternative category as the negotiated category if the alternative category is acceptable to the receiver subsystem; and

associating the ~~recognized~~ negotiated category with the message to be transmitted to obtain a categorized message.

38. (Previously presented) The method of claim 37 wherein the step of identifying the category includes selecting the category from the listing of categories.

39. (Previously presented) The method of claim 38 wherein the step of identifying the category includes displaying the listing of categories for the sender to select.

40. (Currently Amended) The method of claim 37 wherein the step of **identifying** proposing the alternative category includes mapping a second category recognized by the receiver subsystem to the alternative category.

41. (Currently Amended) The method of claim 37 wherein the step of **identifying** proposing the alternative category includes adding a new category to ~~[[a]]~~ the listing of receiver categories and mapping the new category to the alternative category.

42. (Previously presented) The method of claim 37 further comprising the steps of:
identifying an intermediary, said intermediary having access to a second listing of
a plurality of categories;

wherein the step of identifying the category includes concurrent use of both the listing of
categories and the second listing of the plurality of categories.

43. (Previously presented) The method of claim 37 wherein the step of obtaining the
listing of categories includes:

obtaining a first listing of a first plurality of categories from a first intermediary,
retrieving a second listing of a second plurality of categories from a storage
location maintained by said receiver subsystem,
producing the listing of categories from a union of the first listing and the second
listing.

44. (Previously presented) The method of claim 37 further comprising:
storing the categorized message together with an indication of the category
associated therewith.

45. (Currently Amended) The method of claim 44 further comprising:
segregating the categorized message based on the indication of the associated
category.

46. (Currently Amended) The method of claim 44 further comprising:
indexing the categorized message based on the indication of the associated
category.

47. (Currently Amended) A method of transmitting a message to a receiver for a
sender in a message exchange system, the sender having a sender subsystem for
sending the message and the receiver having a receiver subsystem for receiving the
message, the sender subsystem having access to a listing of categories, the method
comprising the steps of:

obtaining a destination address from the sender for identifying the receiver;
receiving information from the sender to be included in the message;

the sender subsystem negotiating a category with the receiver subsystem, the category being identified by the sender subsystem based on the information and the listing of categories;
associating the negotiated category with the message to categorize the message ~~only upon receiving an indication from the receiver subsystem that the category is acceptable~~ ; and
transmitting the categorized message to the receiver subsystem[.].

wherein the step of negotiating includes at least the substeps of communicating the category to the receiver subsystem, receiving a response from the receiver subsystem whether the category is recognized by the receiver subsystem and either adopting the category as a negotiated category if the category is acceptable or, if the category is not acceptable, negotiating with the receiver subsystem by proposing an alternative category for the message to the receiver subsystem and adopting the alternative category as the negotiated category if the alternative category is acceptable to the receiver subsystem.

48. (Previously Presented) The method of claim 47, wherein the step of negotiating the category includes selecting the category from the listing of categories.

49. (Currently Amended) The method of claim 47 wherein the ~~steps~~substep of ~~negotiating the category~~ proposing the alternative category includes mapping a second category belonging to the listing of categories to the alternative category.

50. (Currently Amended) The method of claim 47 wherein the ~~steps~~substep of ~~negotiating the category~~ proposing the alternative category includes adding a new category to the listing of categories and mapping the new category to the alternative category.

51. (Currently Amended) The method of claim 47, further comprising:
selecting an intermediary, the listing of categories being maintained by the intermediary; and
obtaining the listing of categories from the intermediary.

52. (Currently Amended) A computer readable medium containing computer program instructions for classifying messages sent over a communications network by a message exchange system, the message exchange system including a sender subsystem for transmitting a message from a sender to a receiver and a receiver subsystem for receiving the message, said computer readable medium containing instructions for;

providing a listing of categories to the sender subsystem;

causing the sender subsystem to ~~initiate negotiation with the receiver system to agree on :~~

identify a category for the message, ~~the category being selected according to using~~ the listing of categories;

communicate the category to the receiver subsystem;

receive from the receiver subsystem an indication whether the receiver subsystem recognizes the category;

either adopt the category as a negotiated category if the category is acceptable or, if the category is not acceptable, negotiate with the receiver subsystem by proposing an alternative category for the message to the receiver subsystem and adopting the alternative category as the negotiated category if the alternative category is acceptable to the receiver subsystem;

and

associating the negotiated category with the message ~~upon receiving an indication from the receiver system that the category is acceptable to the receiver subsystem .~~

53. (Currently Amended) The computer readable medium of claim 52, wherein the step of negotiation proposing the alternative category includes at least one of: ~~selecting the category from the listing of categories,~~ mapping a second category belonging to a listing of receiver categories to the alternative category, and creating ~~and mapping~~ a new category ~~belonging to in~~ the listing of receiver categories ~~to as~~ the alternative category.

54. (Currently Amended) The computer readable medium of claim 52, containing further instructions for producing a user interface, and wherein the instructions for ~~negotiating~~identifying the category include displaying the list of categories to the sender for selection and receiving from the sender an identification of the category through the user interface.

55. (Currently Amended) The computer readable medium of claim 52, wherein the instructions for associating the negotiated category with the message include inserting an indication of the negotiated category in a section of the message.

56. (Currently Amended) The computer readable medium of claim 52, wherein the instructions for associating the negotiated category with the message include inserting an indication of the negotiated category in a header of the message.